

# Essential (Tile Series)





E 633 RHODONITE BEIGE



E 657 SPECTROLITE BLUE



E 658 AZURITE BLUE



E 611 TITANIUM GREY



E 618 LABRODOLITE GREY



E 619 HEMATITE

## Technical Specification :

Product Identification :.....	<b>ESSENTIAL</b>
Constructional Process :.....	Level Loop Tile
Manufacturing Method :.....	Tufted
Colour System :.....	Solution Dyed Yarn
Yarn Weight :.....	1 6 oz/sq.yd ( 550 gsm )
Pile Height :.....	3.0 mm
Yarn Content :.....	100% Polypropylene
Total Height :.....	6.0 mm
Gauge :.....	1/10"
Primary Backing :.....	Non Woven Synthetic
Tile Backing :.....	Bitumen
Tile Size :.....	500 x 500 mm
Packing :.....	24 Pieces Per Carton ( 6 m <sup>2</sup> )


## Performance Characteristics :

- Solution dyed fibres enable colour retention throughout the useful life of the carpet.
- Polypropylene fibres possess good colourfastness properties.
- The polypropylene yarn are antistatic and can therefore be aptly deployed in work environment where antistatic properties are required.
- The polypropylene fibres are antimicrobial and antibacterial which inhibit the growth of microganisms such as bacteria and fungi.
- The inherent polypropylene resistance to moisture absorption permits spills and stains to be quickly removed.


Warranty :.....	1 Year Limited Warranty
Usage :.....	Commercial Applications

Note : Colour from another production lot is subject to dye lot variation.

## Recommended Installation:



Quarter Turn



Brick Quarter